URGANCH DAVLAT TIBBIYOT INSTITUTI
JANUBIY OROLBO‘YI TIBBIYOT JURNALI
2 - TOM, MAXSUS SON-3. 2026
14.00.00 - TIBBIYOT FANLARI ISSN: 3093-8740
UO’K: 3882(K2ENG)49

MORPHOFUNCTIONAL FEATURES OF THE HUMAN RESPIRATORY SYSTEM AND THEIR SIGNIFICANCE IN CLINICAL ANATOMY



Saliyeva Minora Yulbarsovna
Andijan branch of Kukand university
Email: saliyeva@gmail.com
Orcid: 0074-0944-2230-4333

ABSTRACT

This article examines the anatomical organization, morphofunctional characteristics, and clinical significance of the human respiratory system, with emphasis on the conducting airways, pulmonary parenchyma, and respiratory microcirculation. The nasal cavity, pharynx, larynx, trachea, bronchial tree, lungs, and alveolar-capillary membrane are considered in relation to ventilation, gas exchange, mucociliary clearance, and pulmonary defense. The study is a narrative review of anatomical, histological, and clinical literature using descriptive, comparative, and systematic approaches. Structural variations in bronchial branching, pulmonary segmentation, alveolar architecture, and vascular distribution are relevant to diagnosis and treatment. Computed tomography and three-dimensional reconstruction provide additional opportunities to evaluate respiratory anatomy. Integrating gross anatomy, microscopic organization, and imaging improves medical education and clinical reasoning.

Keywords: human anatomy, respiratory system, morphofunctional characteristics, pulmonary anatomy, bronchial tree, alveoli, gas exchange, respiratory epithelium, pulmonary circulation, clinical anatomy, computed tomography.

ANNOTATSIYA

Ushbu ilmiy maqolada inson nafas olish tizimining anatomik tuzilishi, morfofunksional xususiyatlari va klinik ahamiyati tahlil qilingan. Nafas yo‘llarining o‘tkazuvchi qismlari, o‘pka parenximasi, bronxial daraxt va alveolyar-kapillyar membrananing tuzilishiga alohida e’tibor qaratilgan. Burun bo‘shlig‘i, halqum, hiqildoq, traxeya, bronxlar va o‘pkaning makroskopik hamda mikroskopik xususiyatlari o‘rganilgan. Nafas olish tizimi tuzilishining ventilyatsiya, gaz almashinuvi, mukotsiliar tozalanish va himoya mexanizmlari bilan bog‘liqligi yoritilgan. Tadqiqot anatomik, gistologik va klinik adabiyotlarning tavsifiy hamda qiyosiy tahliliga asoslangan. Kompyuter tomografiyasi va uch o‘lchamli rekonstruksiyaning anatomik o‘zgarishlarni aniqlashdagi ahamiyati ko‘rib chiqilgan.

Kalit so‘zlar: odam anatomiyasi, nafas olish tizimi, morfofunksional xususiyatlar, o‘pka anatomiyasi, bronxial daraxt, alveolalar, gaz almashinuvi, nafas epiteliysi, o‘pka qon aylanishi, klinik anatomiya, kompyuter tomografiyasi.

АННОТАЦИЯ

В статье рассматриваются анатомическое строение, морфофункциональные особенности и клиническое значение дыхательной системы человека. Особое внимание уделяется воздухоносным путям, легочной паренхиме, бронхиальному дереву и альвеолярно-

капиллярной мембране. Проанализированы макроскопические и микроскопические особенности носовой полости, глотки, гортани, трахеи, бронхов и легких. Рассмотрена взаимосвязь строения дыхательной системы с вентиляцией, газообменом, мукоцилиарным клиренсом и защитными механизмами. Исследование основано на анализе анатомической, гистологической и клинической литературы. Отмечается значение компьютерной томографии и трехмерной реконструкции для оценки анатомических вариантов и патологических изменений.

Ключевые слова: анатомия человека, дыхательная система, морфофункциональные особенности, анатомия легких, бронхиальное дерево, альвеолы, газообмен, дыхательный эпителий, легочное кровообращение, клиническая анатомия, компьютерная томография.

INTRODUCTION

The human respiratory system is a specialized anatomical and physiological complex responsible for oxygen uptake and carbon dioxide elimination. Its organization reflects a close relationship between structure and function. The conducting and respiratory portions together provide air transport, conditioning, filtration, gas exchange, and protection from environmental particles. The upper respiratory tract includes the nasal cavity, paranasal sinuses, and pharynx; the lower tract includes the larynx, trachea, bronchi, bronchioles, and lungs, although classification boundaries can vary [1].

The conducting portion extends to the terminal bronchioles, whereas the respiratory bronchioles, alveolar ducts, alveolar sacs, and alveoli support gas exchange. Epithelial structure, cartilage, smooth muscle, and vascular density change progressively along the airways. Understanding these relationships is essential for bronchoscopy, imaging interpretation, airway management, and thoracic surgery [2].

The aim of this article is to examine the morphofunctional organization of the respiratory system and explain how its anatomical features influence clinical assessment and management.

MATERIALS AND METHODS

This study is a narrative review of established anatomical, histological, physiological, and clinical sources. Descriptive anatomical analysis was used to characterize the respiratory organs, comparative morphological assessment to distinguish conducting and respiratory regions, and functional interpretation to relate tissue organization to ventilation and gas exchange. Standard reference texts, including Gray’s Anatomy, Clinically Oriented Anatomy, Junqueira’s Basic Histology, and Guyton and Hall Textbook of Medical Physiology, provided the principal theoretical basis [1–4]. No patient examinations, original measurements, or experimental interventions were undertaken.

RESULTS AND DISCUSSION

The upper respiratory tract filters, warms, and humidifies inspired air. The nasal septum divides the nasal cavity into two compartments, while the superior, middle, and inferior conchae increase mucosal surface area and influence airflow. Most of the respiratory region is lined by pseudostratified ciliated columnar epithelium containing mucus-producing goblet cells. Ciliary transport moves trapped particles toward the pharynx, supporting mucociliary defense [3].

The pharynx is divided into the nasopharynx, oropharynx, and laryngopharynx. Its muscular walls coordinate swallowing and airway protection. The larynx contains thyroid, cricoid, epiglottic, and paired arytenoid cartilages, together with smaller paired cartilages. Vocal folds and intrinsic muscles regulate phonation and glottic opening. These relationships are important in laryngoscopy, intubation, and emergency airway procedures.

The trachea extends from the cricoid cartilage near C6 to its bifurcation around T4–T5. Approximately 16–20 C-shaped hyaline cartilage rings support the wall, and the posterior trachealis muscle permits changes in caliber during coughing. At the carina the trachea divides into right and

left main bronchi. The right main bronchus is usually wider, shorter, and more vertical, making right-sided aspiration relatively common [1, 2].

Main bronchi divide into lobar and segmental bronchi. Bronchial walls contain cartilage plates, smooth muscle, glands, and respiratory epithelium. Cartilage and glands disappear at the bronchiolar level, where smooth muscle remains important in regulating airway resistance. Terminal bronchioles end the conducting portion; respiratory bronchioles begin the gas-exchanging portion. These anatomical changes explain the different functional roles of proximal and distal airways.

Lungs and bronchopulmonary segments

The lungs occupy the thoracic cavity and are covered by visceral pleura. The right lung generally has superior, middle, and inferior lobes separated by horizontal and oblique fissures; the left lung has superior and inferior lobes and a lingula. At each hilum, bronchi, pulmonary vessels, bronchial vessels, lymphatics, and nerves enter or leave the lung.

Bronchopulmonary segments are supplied by segmental bronchi and accompanying pulmonary arterial branches. Pulmonary veins usually travel along intersegmental planes. The right lung is commonly described as having ten segments, while the left may be described as eight to ten depending on classification and fused segments [1]. Segmental anatomy is fundamental to anatomical lung resections because it allows removal of localized diseased tissue while preserving surrounding lung.

Alveoli provide a large, thin interface for gas exchange. Type I pneumocytes cover most of the alveolar surface and contribute to the diffusion barrier; type II pneumocytes synthesize surfactant, which lowers surface tension and supports alveolar stability. Type II cells also participate in epithelial repair. Alveolar macrophages phagocytose inhaled particles and contribute to immune defense [3].

The blood-air barrier includes alveolar epithelium, basement membranes, a very thin interstitial component, and capillary endothelium. Its minimal diffusion distance facilitates oxygen and carbon dioxide movement. Injury to epithelial or endothelial layers, interstitial thickening, or alveolar destruction can impair gas exchange in edema, fibrosis, and other pulmonary diseases.

During inspiration, diaphragm contraction enlarges the thoracic cavity, assisted by external intercostal muscles. Quiet expiration is mainly passive because of elastic recoil, whereas forced expiration recruits additional muscles. Elastic fibers, collagen, and surface tension determine important mechanical properties of lung tissue [4].

Pulmonary arteries transport deoxygenated blood to the capillary beds surrounding alveoli, while pulmonary veins return oxygenated blood to the left atrium. Effective oxygenation depends on appropriate matching of alveolar ventilation and perfusion. Regional variation in blood flow and ventilation helps explain differences in gas exchange across the lung.

Anatomical variants include incomplete or accessory pulmonary fissures, differences in bronchial branching, tracheal bronchi, and variations in pulmonary vessels. Such differences may influence the spread of disease, bronchoscopy, intubation, and surgical planning. Multidetector computed tomography and three-dimensional reconstruction improve the visualization of individual bronchovascular anatomy and can assist in planning segmentectomy and other procedures.

A combined approach to gross anatomy, histology, physiology, and radiology can improve understanding of respiratory disease. Virtual dissection, three-dimensional models, clinical cases, and imaging interpretation help learners relate structural features to conditions such as aspiration, pneumothorax, pneumonia, pulmonary embolism, and airway obstruction.

CONCLUSION

The respiratory system displays a specialized anatomical organization adapted to air conduction, protection, ventilation, and gas exchange. Structural changes along the bronchial tree, the arrangement of bronchopulmonary segments, and the architecture of the alveolar-capillary membrane are essential to normal function. Knowledge of anatomical variants is important for imaging interpretation, airway management, and thoracic surgery. Integrating macroscopic anatomy,

histology, physiology, and modern imaging provides a strong foundation for clinical reasoning and medical education. Further work may evaluate the educational and clinical benefits of three-dimensional respiratory anatomy models.

REFERENCES

1. Standring S., ed. Gray’s Anatomy: The Anatomical Basis of Clinical Practice. 42nd ed. Elsevier; 2020.
2. Moore K.L., Dalley A.F., Agur A.M.R. Clinically Oriented Anatomy. 9th ed. Wolters Kluwer; 2023.
3. Mescher A.L. Junqueira’s Basic Histology: Text and Atlas. 16th ed. McGraw Hill; 2021.
4. Hall J.E., Hall M.E. Guyton and Hall Textbook of Medical Physiology. 14th ed. Elsevier; 2021.
5. West J.B., Luks A.M. West’s Respiratory Physiology: The Essentials. 11th ed. Wolters Kluwer; 2021.
6. Drake R.L., Vogl A.W., Mitchell A.W.M. Gray’s Anatomy for Students. 4th ed. Elsevier; 2019.
7. Netter F.H. Atlas of Human Anatomy. 8th ed. Elsevier; 2022.
8. Ross M.H., Pawlina W. Histology: A Text and Atlas. 8th ed. Wolters Kluwer; 2019.